

Matte Translucent Black(PH) 20inch



Matte Translucent Black(PH) 21inch

VMF L-01

VERSUS MODE FORGED

The next level option

Spec

Product Name	L-01 PREMIUM
Size	20inch/21inch
Construction Method	Forged 1pc. wheel Reverse Rim
Safety Standards	JWL+R Spec 2
Color	Matte Translucent Black(PH)
Included	No.25 GENERAL CAP V1 LOW BK/Chrome、 No.56 ET1 AIR VALVE BK

Optional Parts

Vehicle Specific Parts Set

Prices are noted in Japanese YEN(JPY). Specifications in the English version are intended for customers outside of Japan and do not include Japan sales tax.

SIZE	FACE	INSET ( ): HUB CLEARANCE (mm)	HOLE	P.C.D.	HUB BORE (φ)	DRILL (φ)	PRICE PH COLOR	CALIPER CLEARANCE	DISK PROTRUSION (mm)	Load (kg)	Load (lbs)
20x8.5J	F1	45(34)	5	108	73.1	32-15	150,000	LAND ROVER EVOQUE(LZ2XA), VOLVO XC-40(DBA-XB420XC),XC-60(LDA-UD4204TXC),S60(ZB420)	2.6	720	1,587
		40(39)						LAND ROVER EVOQUE(LZ2XA),VELAR(LY2NA),DISCOVERY SPORT(LC2NC), JAGUAR F-PACE(DC2NA),E-PACE(DF2XA)			
		38(34)		112	66.6			AUDI A4(8K),A6(C7),A6 AVANT(F2DBF),Q3(8UCCZF),Q3(8UCZD),Q5(8R),Q5(FYDETS),S6(4GCEUA), BMW X3(G01)(M Performance Brake), MINI COUNTRYMAN(U25), MERCEDES EQA(ZAA-243701C)			
	F2	24(34)						BMW 330i(G20)Fr,X3(G01)(M Performance Brake)Fr.	2.9		
	F1	45(34)		114.3	73.1			η⊿	2.6		
		38(41)						▼▽θη§■⊿◎#△▲□αβγ○●Ω〓			
		45(34)		120	72.6			TOYOTA ALPHARD/VELLFIRE(AGH40W/AAHH45W), HONDA CIVIC YYPE-R(FK8/FL5)			
		38(41)						TOYOTA ALPHARD/VELLFIRE(AGH40W/AAHH45W),CROWN SEDAN(AZSH32)			
20x9J	F1	35(41)	5	112	66.6	32-15	151,500	AUDI A5(8T),RS Q3(F3DNWF),RS Q3(8UCZGF), BMW X4 M COMPETITION(G02)Fr,X5(G05)Fr.	2.6	720	1,587
	F2	25(31)						AUDI RS4 AVANT(8WDECF),RS4 AVANT(8KCFSF),RS5(F5DECF)CCB	2.9		
20x9.5J	F2	38(34)	5	112	66.6	32-15	153,000	BMW X3(G01)(M Performance Brake)Rr,330i(G20)Rr,Z4(G29)M40i Fr., TOYOTA SUPRA(DB22)Fr.	2.9	720	1,587
		17(45)						BMW M5(F90)JF44M(CCB)Fr.			
	F1	45(37)		114.3	73.1			▼▽θη§■⊿◎#△▲□αβγ○●Ω◇◆〓	2.6		
	F2	35(37)							2.9		
		25(37)		120	72.6			BMW M2 COMPETITION(F87)Fr,M2 COUPE(F87)Fr,M4 COUPE(F82)Fr, M3(E46)Fr.			
20x10J	F2	41(27)	5	112	66.6	32-15	154,500	BMW X3(G01)M PERFORMANCE BRAKE Rr.	2.9	720	1,587
		23(45)						PORSCHE MACAN S(95BCTM)			

20x10.5J	F2	40(35)	5	112	66.6	32-15	156,000	BMW X4 M COMPETITION(G02)Rr,X5(G05)Rr.	2.9	720	1,587
		29(46)						BMW M5(F90)JF44M(CCB)Rr, Z4(G29)M40i Rr., TOYOTA SUPRA(DB22)Rr.			
				114.3	73.1			▼▽θη§■◿◎#△▲□αβγ○●Ω☆★Σ◇◆〓			
		35(40)		120	72.6			BMW M2 COMPETITION(F87)Rr,M2 COUPE(F87)Rr,M4 COUPE(F82)Rr,M3(E46)Rr.			
21x8.5J	F1	42(34)	5	114.3	73.1	32-15	161,000	-	3.3	840	1,852
		40(32)		120	72.6			TOYOTA ALPHARD(AGH40W), LAND ROVER DEFENDER(LE72WAB)			
21x9J	F1	42(28)	5	108	73.1	32-15	163,000	LAND ROVER RANGE ROVER EVOQUE(LZ2XA),RANGE ROVER VELAR(LY2NA), JAGUAR F-PACE(DC2NA), VOLVO XC40(DBA-XB420XC), XC60(LDA-UD4204TXC)	3.3	840	1,852
		38(25)		112	66.6	32-16		AUDI Q5(FYDETS),A7 Sportsback(F2DLZS), MERCEDES GLC250(X253),GLE300d(W167),EQS450+ (V297), BMW X3(G01)			
	F2	20(44)						PORSCHE MACAN S(95BCTM)Fr., MERCEDES EQS450+ (V297),GLE300d(W167)	2.9		
	F1	45(33)		114.3	73.1	32-15		◿〓	3.3		
	F2	40(32)							2.9		
		30(32)						ηθ■◿◎〓			
	F1	38(33)		120	72.6			TOYOTA ALPHARD(AGH40W), LAND ROVER DEFENDER(LE72WAB)	3.3		
	F3	18(30)						LEXUS LC500h(GWZ100)Fr,LS500&500h(VXFA50&GVF55)Fr., TESLA MODEL S(SL1S2A),MODEL X(5YJXDCE)Fr.	2.8		
21x10J	F3	20(41)	5	112	66.6	32-16	167,000	PORSCHE MACAN S(95BCTM)Rr.	2.8	840	1,852
		15(38)						BMW M4 Competition CCB(G82)Fr., AUDI RS7 Sportback(4GCWUC)Fr.			
	F2	50(35)		114.3	73.1	32-15		◿〓	2.9		
		35(50)						η▽▼θ■◿◎#△□▲αβγ○●Ω★??〓			
	F3	30(31)						η◿◎〓	2.8		
		34(28)		120	72.6			LEXUS LS500&500h(VXFA50&GVF55)Rr., TESLA MODEL X(5YJXDCE)Rr.			
		18(35)						LEXUS LC500h(GWZ100)Rr.			

21x11J	F3	15(51)	5	112	66.6	32-16	171,000	BMW M4 Competition(G82)Rr.	2.8	840	1,852
				114.3	73.1	32-15		η▽▼θ■◿◎#△□▲αβγ○●Ω☆★Σ??〓			

Caution

[CALIPER CLEARANCE]
▼： IMPREZA (GDB 4POT)
▽： IMPREZA (GDB & GRB 4POT)
Θ： WRX STI (4POT)
η： WRX STI (6POT)
§ ： GR86/BRZ(ZN8/ZC8)
■： IS, GS, RC, CROWN (210), MARK-X (3.5L)
◿： IS-F
◎： RC-F
： SILVIA (S15)
△： SKYLINE (R34GT-R, CPV35, CKV36, HV37, RV37/400R)
▲： SKYLINE (R34 GT-R)
□： SKYLINE (CKV36, HV37, RV37/400R)
α： SKYLINE (CKV36, HV37), FUGA(Y51)
β： SKYLINE (HV37)
γ： SKYLINE (CPV35)
○： FAIRLADY Z (Z33, Z34, RZ34 ※except NISMO)
●： FAIRLADY Z (Z34, RZ34 ※except NISMO)
Ω： FAIRLADY Z (Z33)
☆： LANCER EVO.(VII～IX, X)
★： LANCER EVO.X
Σ ： LANCER EVO.(VII～IX)
◆： GT-R (R35/ϕ380 rotor)
◇： GT-R (R35/ϕ380, ϕ390 rotor)
〓： GR YARIS (RZ)
Ψ： ROADSTER (ND)/124 Spider Brembo
※CALIPER CLEARANCE are for reference only and do not guarantee inspection, and/or the size mandated by local authorities. Selecting sizes is by your own judgement and we recommend consulting fitments with a professional outlet.