



FDJ2

MID RACING R06

6-spoke style, the royal road to sports wheels

Spec

Product Name	MID RACING R06
Size	15inch/16inch/17inch/18inch
Construction Method	Cast flow-formed 1-piece wheel
Safety Standards	JWL VIA compliant (5-139.7/6-139.7 are JWL JWL-T VIA compliant)
Color	Crystal Black
Included	Black Air Valve MID Racing Center Cap Sticker Set
Optional	Center cap ¥ 3,000 Air valve ¥ 800



Crystal Black(With sticker)



Crystal Black(Without sticker)

Prices are noted in Japanese YEN(JPY). Specifications in the English version are intended for customers outside of Japan and do not include Japan sales tax.

SIZE	INSET (): HUB CLEARANCE (mm)	HOLE	P.C.D.	HUB BORE (ϕ)	DRILL (ϕ)	PRICE	DISK PROTRUSIO N (mm)	Load
						CRYSTAL BLACK COLOR		
15x5J	45(39)	4	100	67.1	29-13	31,000	8.2	1,102
15x7J	35(36)	4	100	67.1	29-13	34,000	-	1,102
16x7J	35(39)	4	100	67.1	29-13	40,000	-	1,168
17x6.5J	38(39)	6	139.7	106.1	29-13	44,000	-	2,105
17x7.5J	42(39)	4	100	67.1	29-15	46,000	0.3	1,168
	40(41)	5						1,190
	44(37)		114.3	73.1				1,521
18x7.5J	50(43)	5	114.3	73.1	29-13	50,000	-	1,521
18x8.5J	45(35)	5	100	67.1	29-15	51,000	-	1,190
	38(42)		114.3	73.1				1,521

18x9.5J	60(27)	5	120	64.1	29-■14R	53,000	-	1,587
	12(44)		114.3	73.1				1,521
	0(56)							
18x10.5J	22(38)	5	114.3	73.1	29-15	55,000	-	1,521
	12(48)							

Caution
※■14R ball seat, taper nuts cannot be used.