MID RACING R06

6-spoke style, the royal road to sports wheels



White(WHI)(With sticker)
18x9.5J



Black Clear Polish(BCP)(With sticker)
16x7J



White(WHI)
18x9.5J

Spec

Product Name	MID RACING R06
Size	15inch/16inch/17inch/18inch
Construction Method	Cast flow-formed 1-piece wheel
Safety Standards	JWL VIA compliant (5-139.7/6-139.7 are JWL JWL-T VIA compliant)
Color	Crystal Black(CBK) Black Clear Polish(BCP) White (WHI)
Included	Black Air Valve MID Racing Center Cap Sticker Set
Optional	Center cap ￥3,000 Air valve ￥800 Spoke Sticker for Crystal Black (Red): ¥2,200 Spoke Sticker for Black Clear Polish (Luminous Yellow): ¥2,500 Spoke Sticker for White (Red): \2,200

The photo is a representative image. Please visit our website for other types of product images

Prices are noted in Japanese YEN(JPY). Specifications in the English version are intended for customers outside of Japan and do not include Japan sales tax.

SIZE	INSET ( ): HUB CLEARANCE (mm)	HOLE	P.C.D.	HUB BORE (ϕ)	DRILL (ϕ)	PRICE			CALIPER CLEARANCE	DISK PROTRUSION (mm)	Load (kg)	Load (lbs)
						BCP COLOR	CBK COLOR	WHI COLOR				
15x5J	45(39)	4	100	67.1	29-13	36,000	31,000	33,000	-	8.2	500	1,102
15x7J	35(36)	4	100	67.1	29-13	-	34,000	-	-	-	500	1,102
16x7J	35(39)	4	100	67.1	29-13	45,000	40,000	-	-	-	530	1,168
17x6.5J	38(39)	6	139.7	106.1	29-13	49,000	44,000	-	-	-	955	2,105
17x7J	48(43)	5	114.3	73.1	29-13	50000	45,000	47,000	-	1.4	690	1,521
17x7.5J	42(39)	4	100	67.1	29-15	-	46,000	-	-	0.3	530	1,168
	40(41)	5			29-13	51,000			▽GR86Brembo(ZN8)	-	540	1,190
										0.3		
	44(37)		114.3	73.1					-	-	690	1,521
										0.3		
18x7.5J	50(43)	5	114.3	73.1	29-13	56,000	50,000	52,000	-	-	690	1,521
	48(45)		100	67.1							540	1,190
18x8J	55(42)	6	139.7	67.1	33-15	-	55000	-	-	-	955	2,105
18x8.5J	45(35)	5	100	67.1	29-15	57,000	51,000	53,000	▽GR86Brembo(ZN8)	-	540	1,190
			114.3	73.1					θη■◿#▲〓		690	1,521
	38(42)							-	▽θη■◿#△Ω〓			
18x9.5J	60(27)	5	120	64.1	32-■14R	59,000	53,000	55,000	CIVIC TypeR(FK2,FK8,FL5)	-	720	1,587
	12(44)		114.3	73.1	29-15	-		-	▽θη■◿#△Ω〓		690	1,521
	0(56)											
18x10.5J	22(38)	5	114.3	73.1	29-15	-	55,000	-	▽θη■◿#△Ω〓	-	690	1,521
	12(48)											

Caution
*14R : ball seat, cannot use taper seat nuts

[CALIPER CLEARANCE]
▼： IMPREZA (GDB 4POT)
▽： IMPREZA (GDB & GRB 4POT)
Θ： WRX STI (4POT)
η： WRX STI (6POT)
§ ：GR 86/BRZ Brenbo (ZN8/ZD8)
■： IS, GS, RC, CROWN (210), MARK-X (3.5L)
◿： IS-F
◎： RC-F
＃： SILVIA (S15)
△： SKYLINE (R34GT-R, CPV35, CKV36, HV37, RV37/400R)
▲： SKYLINE (R34 GT-R)
□： SKYLINE (CKV36, HV37, RV37/400R)
α： SKYLINE (CKV36, HV37), FUGA(Y51)
β： SKYLINE (HV37)
γ： SKYLINE (CPV35)
○： FAIRLADY Z (Z33, Z34, RZ34 ※except NISMO)
●： FAIRLADY Z (Z34, RZ34 ※except NISMO)
Ω： FAIRLADY Z (Z33)
☆： LANCER EVO.(VII～IX, X)
★： LANCER EVO.X
Σ： LANCER EVO.(VII～IX)
◆： GT-R (R35/ϕ380 rotor)
◇： GT-R (R35/ϕ380, ϕ390 rotor)
〓： GR YARIS (RZ)
Ψ： ROADSTER (ND)/124 Spider Brembo
※CALIPER CLEARANCE are for reference only and do not guarantee inspection, and/or the size mandated by local authorities. Selecting sizes is by your own judgement and we recommend consulting fitments with a professional outlet.